

Court Lighting

Lighting Installation

The court must be lit by artificial light. The level of illumination, measured 1000 mm above the finished floor level, has a recommended standard of 500 lux. The minimum standard is 300 lux. For Television lighting the standard is 1200 lux.

The walls of the court shall be lit in such a way as to appear evenly and uniformly illuminated and the lux levels shall not vary at any point by more than 15% from the average level of illumination.

The lighting shall be shadow free and free from any stroboscopic effects.

In order to provide even illumination to the side walls, open ended angled reflectors should be used and all reflectors should have slotted top sections to allow the light to reflect on to a light coloured ceiling finish.

Where a glass rear wall is used the level of lighting in the area outside the court should be of the same standard as the lighting on the court.

Companies Specialising in Court Lighting

Lamp Specialists

57C Hillside Road
Glenfield
Auckland
Ph: (09) 444-2297 Fax: 0800 526-777
email: LAMPSPECS@lighting.co.nz

Philips Lighting

2 Wagner Place
Mt Albert
Auckland
Ph: (09) 815-4000 Fax: 0800 454-448
www.philips.co.nz

Thorn Lighting

399 Rosebank Road
Avondale
Auckland
Ph: (09) 828-7155 Fax: (09) 828-7591
www.thornlight.co.nz